ELSEVIER

Journal of Organometallic Chemistry 511 (1996) 311–312

Journal of Organometallic Chemistry

Author Index of Volume 511

Adams, H., 129
Almond, M.J., 303
Azad Malik, M., 199

Bailey, N.A., 129
Baudry, D., 37
Beckers, H., 293
Beer, P.D., 207
Benetollo, F., 59
Berke, H., 111
Bochkarev, M.N., 157
Bock, H., 29
Bois, C., 93
Brauer, D.J., 293
Brendler, E., 85
Broussier, R., 185
Bruns, W., 273
Bürger, H., 293

Cabeza, J.A., 103
Campo, J.A., 115
Cano, M., 115
Carriedo, G.A., 77
Carvalho, M.F.N.N., 163
Cauzzi, D., 263
Cherkasov, V.K., 157
Chuit, C., 171
Claramunt, R.M., 115
Corriu, R.J.P., 171
Cronje, S., 177

Deacon, G.B., 1
Declercq, J.-P., 171
Delmas, G., 185
Del Río, I., 103
Dinjus, E., 145
Dormond, A., 37
Drew, M.G.B., 207
Duarte, M.T., 163
Dubourg, A., 171

Eikens, W., 67
Eremenko, I.L., 111

Fedushkin, I.L., 157
Feiken, N., 281
Fernández, A., 129
Fernández, J.J., 129
Fiedler, J., 273
Fornika, R., 145
Frühauf, H.-W., 281

Galvão, A.M., 163
García-Granda, S., 77
García Alonso, F.J., 93
García Sanz, M., 93
Gautheron, B., 185
Gayoso, M., 129
Gielen, R., 293
Giordano, R., 263
Girgsdies, F., 157
Görlitz, F.H., 157
Görls, H., 145
Goux, C., 139
Gref, A., 193

Hafid, A., 37
Hagen, K., 303
Haggata, S.W., 199
Heras, J.V., 115
Herrmann, W.A., 299
Herzog, U., 85
Hesek, D., 207
Hilgers, F., 273
Hwang-Park, H.-S., 239

Iiskola, E., 19
Ioannou, G.I., 217

Jäger, S., 67
Jiménez, J.A., 115
Jones, P.G., 67

Kagan, H.B., 193
Kaim, W., 273
Kociok-Köhn, G., 157
Krivykh, V.V., 111

Lacy, S.M., 207
Laske, D.A., 255
Leitner, W., 145
Lhoste, P., 139
Lindeque, L., 177
Liu, X.Y., 93
Llamazares, A., 103
López, C., 115
López Torres, M., 129

Mahon, M.F., 227
Masdeu, A., 139
Masson-Szymczak, A., 193
Meetsma, A., 255
Mesubi, M.A., 227
Micha-Screttas, M., 217
Miguel, D., 77
Mikulcik, P., 239
Molloy, K.C., 227
Monforte, P., 171
Monge, A., 115
Moritz, P., 293
Motevalli, M., 199
Müller, G., 239

Näther, C., 29
Nevodchikov, V.K., 157

O'Brien, P., 199
Oliveira, A., 93
Omotowa, B.A., 227
Onitsuka, K., 47
Ortigueira, J.M., 129

Page, E.M., 303
Pakkanen, T.A., 19
Pakkanen, T.T., 19
Pérez-Carreño, E., 77
Pérez-Martínez, J.A., 77
Perron, P., 185
Petersen, J.L., 185
Petrunenko, I.A., 111
Pickardt, J., 157
Pinilla, E., 115
Pombeiro, A.J.L., 163
Pountney, D.L., 111
Predieri, G., 263
Puhakka, E., 19

Raillard, C., 37
Raubenheimer, H.G., 177
Rauch, M.U., 299
Reyé, C., 171
Riant, O., 193
Rice, D.A., 303
Riera, V., 77, 93, 103
Roesky, P.W., 299
Roewer, G., 85
Rossetto, G., 59
Ruiz, M.A., 93

Sappa, E., 263
Schumann, H., 157
Screttas, C.G., 217
Shen, Q., 1
Sinou, D., 139

Elsevier Science S.A.

Sonogashira, K., 47
Spek, A.L., 281

Teuben, J.H., 255
Thöne, C., 67
Tiripicchio, A., 263
Traldi, P., 59
Trouvé, G., 255

Unseld, D., 111

Veghini, D., 111
Veldman, N., 281
Vila, J.M., 129
Visonà, P., 59
Vrieze, K., 281

Wiberg, N., 239

Yoshida, T., 47

Zanella, P., 59
Ziemer, K., 29

ELSEVIER

Journal of Organometallic Chemistry 511 (1996) 313–319

Journal of Organometallic Chemistry

Subject Index of Volume 511

Alkali metals
Stoichiometry of protonation of aromatic hydrocarbon radical anions by weak proton donors. A marked discrepancy between the number of protons used and those incorporated into the aromatic structure (C.G. Screttas, G.I. Ioannou and M. Micha-Screttas), 217

Alkenyl
Reactivity of a cationic triruthenium hydridoalkenylcarbonyl cluster complex toward nucleophilic reagents. Carbonyl substitution versus alkene elimination reactions (J.A. Cabeza, I. Del Río, A. Llamazares and V. Riera), 103

Alkoxide
Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $[[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2O]TiCl_2]_2$ and $[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_3O]TiCl_2$ (G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben), 255

Alkyl
The mixed alkyl gallium or indium *N,N,N*-trimethylpropylenediaminedithiocarbamates. Crystal structure of diethyl(*N,N',N'*-trimethylpropylenediamine)dithiocarbamatoindium(III) (S.W. Haggata, M. Azad Malik, M. Motevalli and P. O'Brien), 199

Alkylation
Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2CH_2PPh_2)_2][PF_6]$ (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 163

Alkyls
Synthesis, mass spectrometry and NMR spectroscopy studies of the $(CH_3)_2In(C_2H_5)$ system: X-ray crystal structure of a diphosphine-bridged complex (P. Visonà, F. Benetollo, G. Rossetto, P. Zanella and P. Traldi), 59

η^2-Alkynes
Complexes of lanthanoids with neutral π donor ligands (G.B. Deacon and Q. Shen), 1

Alkynyl ligands
Stable paramagnetic bis(alkynyl) manganese complexes (V.V. Krivykh, I.L. Eremenko, D. Veghini, I.A. Petrunenko, D.L. Pountney, D. Unseld and H. Berke), 111

Allylic carbonates
Palladium(0)-catalyzed phenoxycarbonylation of allylic carbonates (C. Goux, P. Lhoste, D. Sinou and A. Masdeu), 139

Aluminium
Theoretical investigations on Ziegler–Natta catalysis: models for the cocatalyst components (E. Puhakka, T.T. Pakkanen, T.A. Pakkanen and E. Iiskola), 19

Anthracenyl Grignard
Strukturen ladungsgestörter Moleküle. 79. Dimeres Anthracenylmagnesiumbromid-Dibutylether (H. Bock, K. Ziemer und C. Näther), 29

η^6-Arenes
Complexes of lanthanoids with neutral π donor ligands (G.B. Deacon and Q. Shen), 1

Aromatic radical anions
Stoichiometry of protonation of aromatic hydrocarbon radical anions by weak proton donors. A marked discrepancy between the number of protons used and those incorporated into the aromatic structure (C.G. Screttas, G.I. Ioannou and M. Micha-Screttas), 217

Asymmetric synthesis
Asymmetric synthesis of a chiral tetradentate ligand based on a bis[diphenylphosphinoferrocenyl] moiety. Electrochemical behavior of free ligand and its Ru^{II} and Cu^{I} complexes (A. Masson-Szymczak, O. Riant, A. Gref and H.B. Kagan), 193

Bis(isocyanide complexes)
Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2CH_2PPh_2)_2][PF_6]$ (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 163

Borane adducts
Electron-deficient organouranium chemistry: synthesis and reactivity of monocyclopentadienyldiphenylphosphidouranium trisborohydrides $[C_5R_4PPh_2U(BH_4)_3]$ (R = H or CH_3) and of their borane adducts (D. Baudry, A. Dormond, A. Hafid and C. Raillard), 37

Bulky ligands
Auf dem Wege zu einem stabilen Germaethen $>Ge=C<$: Sterisch überladene Digermylsilylmethane $^tBu_2SiX\text{–}CY(GeMe_3)_2$ und Struktur der Germaethenquelle $^tBu_2SiF\text{–}CLi(GeMe_3)_2 \cdot 2THF$ (N. Wiberg, H.-S. Hwang-Park, P. Mikulcik und G. Müller), 239

Carbene
Synthesis and characterization of neutral and cationic diamino carbene complexes of gold(I) (H.G. Raubenheimer, L. Lindeque and S. Cronje), 177

Carbon dioxide
Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an η^3-cyclooctenyl complex (R. Fornika, E. Dinjus, H. Görls and W. Leitner), 145

Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an η^3-cyclooctenyl complex (R. Fornika, E. Dinjus, H. Görls and W. Leitner), 145

Carbon monoxide
Reactions of σ-ferrocenylplatinum complexes with carbon monoxide and isocyanide (T. Yoshida, K. Onitsuka and K. Sonogashira), 47

Carbonyl
Reactivity of a cationic triruthenium hydridoalkenylcarbonyl cluster complex toward nucleophilic reagents. Carbonyl substitution ver-

Elsevier Science S.A.

sus alkene elimination reactions (J.A. Cabeza, I. Del Río, A. Llamazares and V. Riera), 103

The molecular structure of cyclopentadienyl vanadium tetracarbonyl determined by gas-phase electron diffraction (M.J. Almond, E.M. Page, D.A. Rice and K. Hagen), 303

The reduction and oxidation of cationic carbonyl complexes of manganese with phosphoniodithioformate: X-ray crystal structure of $[Mn(CO)_4(S_2CPCy_3)]ClO_4$ (G.A. Carriedo, J.A. Pérez-Martínez, D. Miguel, V. Riera, S. García-Granda and E. Pérez-Carreño), 77

Catalysis

Palladium(0)-catalyzed phenoxycarbonylation of allylic carbonates (C. Goux, P. Lhoste, D. Sinou and A. Masdeu), 139

Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an η^3-cyclooctenyl complex (R. Fornika, E. Dinjus, H. Görls and W. Leitner), 145

Cationic clusters

Reactivity of a cationic triruthenium hydridoalkenylcarbonyl cluster complex toward nucleophilic reagents. Carbonyl substitution versus alkene elimination reactions (J.A. Cabeza, I. Del Río, A. Llamazares and V. Riera), 103

Chemical vapour deposition

The mixed alkyl gallium or indium *N,N,N*-trimethylpropylenediaminedithiocarbamates. Crystal structure of diethyl(*N,N',N'*-trimethylpropylenediamine)dithiocarbamatoindium(III) (S.W. Haggata, M. Azad Malik, M. Motevalli and P. O'Brien), 199

Cluster

Reactivity of a cationic triruthenium hydridoalkenylcarbonyl cluster complex toward nucleophilic reagents. Carbonyl substitution versus alkene elimination reactions (J.A. Cabeza, I. Del Río, A. Llamazares and V. Riera), 103

Cobalt

Acid catalysed condensation reactions of 1,3-dihydroxybenzene with new redox-active metallocene aldehydes (P.D. Beer, M.G.B. Drew, D. Hesek and S.M. Lacy), 207

Copper

Asymmetric synthesis of a chiral tetradentate ligand based on a bis[diphenylphosphinoferrocenyl] moiety. Electrochemical behavior of free ligand and its Ru^{II} and Cu^{I} complexes (A. Masson-Szymczak, O. Riant, A. Gref and H.B. Kagan), 193

Crystal structure

1,3-Dipolar cycloaddition to the Fe–N=C fragment. XVI. Reactivity of Fe(alkyl-NC)$_3$(^{i}Pr-DAB) complexes towards aromatic isothiocyanates as dipolarophiles. Insertion of isothiocyanate into the Fe–N bond (N. Feiken, H.-W. Frühauf, K. Vrieze, N. Veldman and A.L. Spek), 281

Acid catalysed condensation reactions of 1,3-dihydroxybenzene with new redox-active metallocene aldehydes (P.D. Beer, M.G.B. Drew, D. Hesek and S.M. Lacy), 207

Auf dem Wege zu einem stabilen Germaethen $>Ge=C<$: Sterisch überladene Digermylsilylmethane $^tBu_2SiX\text{–}CY(GeMe_3)_2$ und Struktur der Germaethenquelle $^tBu_2SiF\text{–}CLi(GeMe_3)_2 \cdot 2THF$ (N. Wiberg, H.-S. Hwang-Park, P. Mikulcik und G. Müller), 239

Organotin(IV) derivatives of acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 227

Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $\{[\eta^5 : \eta^1\text{-}C_5H_4(CH_2)_2O]TiCl_2\}_2$ and $[\eta^5 : \eta^1\text{-}C_5H_4(CH_2)_3\text{-}O]TiCl_2$ (G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben), 255

The mixed alkyl gallium or indium *N,N,N*-trimethylpropylenediaminedithiocarbamates. Crystal structure of diethyl(*N,N',N'*-trimethylpropylenediamine)dithiocarbamatoindium(III) (S.W. Haggata, M. Azad Malik, M. Motevalli and P. O'Brien), 199

Cyclic voltammetry

Asymmetric synthesis of a chiral tetradentate ligand based on a bis[diphenylphosphinoferrocenyl] moiety. Electrochemical behavior of free ligand and its Ru^{II} and Cu^{I} complexes (A. Masson-Szymczak, O. Riant, A. Gref and H.B. Kagan), 193

Cycloaddition

1,3-Dipolar cycloaddition to the Fe–N=C fragment. XVI. Reactivity of Fe(alkyl-NC)$_3$(^{i}Pr-DAB) complexes towards aromatic isothiocyanates as dipolarophiles. Insertion of isothiocyanate into the Fe–N bond (N. Feiken, H.-W. Frühauf, K. Vrieze, N. Veldman and A.L. Spek), 281

Cyclometallation

Dinuclear cyclometallated complexes of Pd^{II} with diphosphines. X-ray crystal structure of $[1,4\text{-}\{Pd[2,4\text{-}(MeO)_2C_6H_2C(H)=N]\}_2\text{-}C_6H_4\{Ph_2P(CH_2)_3PPh_2\text{-}P,P\}_2][PF_6]_2$ (J.M. Vila, M. Gayoso, M. López Torres, J.J. Fernández, A. Fernández, J.M. Ortigueira, N.A. Bailey and H. Adams), 129

Cyclooctenyl

Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an η^3-cyclooctenyl complex (R. Fornika, E. Dinjus, H. Görls and W. Leitner), 145

Cyclopentadienyl

Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $\{[\eta^5 : \eta^1\text{-}C_5H_4(CH_2)_2O]TiCl_2\}_2$ and $[\eta^5 : \eta^1\text{-}C_5H_4(CH_2)_3\text{-}O]TiCl_2$ (G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben), 255

The molecular structure of cyclopentadienyl vanadium tetracarbonyl determined by gas-phase electron diffraction (M.J. Almond, E.M. Page, D.A. Rice and K. Hagen), 303

Cyclopentadienyl complexes

Synthesis and characterization of Eu(II) and Sm(II) complexes containing the cyclopentadienylvanadiumnaphthalene anion. Molecular structure of $[(C_5H_5)V(C_{10}H_8)]_2Eu(THF)(DME)$ and $[(C_5H_5)V(C_{10}H_8)Eu(C_5H_5)(THF)]_n$ (I.L. Fedushkin, V.K. Nevodchikov, V.K. Cherkasov, M.N. Bochkarev, H. Schumann, F. Girgsdies, F.H. Görlitz, G. Kociok-Köhn and J. Pickardt), 157

Digermylsilylmethanides

Auf dem Wege zu einem stabilen Germaethen $>Ge=C<$: Sterisch überladene Digermylsilylmethane $^tBu_2SiX\text{–}CY(GeMe_3)_2$ und Struktur der Germaethenquelle $^tBu_2SiF\text{–}CLi(GeMe_3)_2 \cdot 2THF$ (N. Wiberg, H.-S. Hwang-Park, P. Mikulcik und G. Müller), 239

Dihydrides

Reactivity of the unsaturated manganese dihydrides $[Mn_2(\mu\text{-}H)_2(CO)_6(\mu\text{-}L_2)]$ ($L_2 = Ph_2PCH_2PPh_2$ or $(EtO)_2POP(OEt)_2$) towards small molecules (F.J. García Alonso, M. García Sanz, X.Y. Liu, A. Oliveira, M.A. Ruiz, V. Riera and C. Bois), 93

Diimine

1,3-Dipolar cycloaddition to the Fe–N=C fragment. XVI. Reactivity of Fe(alkyl-NC)$_3$(^{i}Pr-DAB) complexes towards aromatic isothiocyanates as dipolarophiles. Insertion of isothiocyanate into the Fe–N bond (N. Feiken, H.-W. Frühauf, K. Vrieze, N. Veldman and A.L. Spek), 281

Dimeric anthracenylmagnesiumbromide-dibutylether

Strukturen ladungsgestörter Moleküle. 79. Dimeres Anthracenylmagnesiumbromid-Dibutylether (H. Bock, K. Ziemer und C. Näther), 29

Dinuclear

Symmetric and dissymmetric pyrazolyl-bridged rhodium dimers. Two X-ray dirhodium structures with short metal–metal interactions (C. López, J.A. Jiménez, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, E. Pinilla and A. Monge), 115

Synthesis of bis(diphenylphosphinocyclopentadienyl)yttrium chloride complexes and heterodimetallic derivatives. X-ray structure of bis[(μ-chloro)bis(diphenylphosphinocyclopentadienyl)yttrium-(III)] (R. Broussier, G. Delmas, P. Perron, B. Gautheron and J.L. Petersen), 185

Dinuclear complexes

Dinuclear cyclometallated complexes of Pd^{II} with diphosphines. X-ray crystal structure of $[1,4\text{-}\{\widehat{Pd[2,4\text{-}(MeO)_2C_6H_2C(H)=N]}\}_2\text{-}C_6H_4\{Ph_2P(CH_2)_3PPh_2\text{-}P,P\}_2][PF_6]_2$ (J.M. Vila, M. Gayoso, M. López Torres, J.J. Fernández, A. Fernández, J.M. Ortigueira, N.A. Bailey and H. Adams), 129

(8-Dimethylamino-1-naphthyl)diphenylphosphane

Evidences for intramolecular N → P coordination in (8-dimethylamino-1-naphthyl)diphenylphosphane and derivatives (C. Chuit, R.J.P. Corriu, P. Monforte, C. Reyé, J.-P. Declercq and A. Dubourg), 171

Diphosphine complexes

Dinuclear cyclometallated complexes of Pd^{II} with diphosphines. X-ray crystal structure of $[1,4\text{-}\{\widehat{Pd[2,4\text{-}(MeO)_2C_6H_2C(H)=N]}\}_2\text{-}C_6H_4\{Ph_2P(CH_2)_3PPh_2\text{-}P,P\}_2][PF_6]_2$ (J.M. Vila, M. Gayoso, M. López Torres, J.J. Fernández, A. Fernández, J.M. Ortigueira, N.A. Bailey and H. Adams), 129

Electrochemistry

Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2CH_2PPh_2)_2][PF_6]$ (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 163

The reduction and oxidation of cationic carbonyl complexes of manganese with phosphoniodithioformate: X-ray crystal structure of $[Mn(CO)_4(S_2CPCy_3)]ClO_4$ (G.A. Carriedo, J.A. Pérez-Martínez, D. Miguel, V. Riera, S. García-Granda and E. Pérez-Carreño), 77

UV-vis, IR and EPR spectroelectrochemical study of the EC redox transition $[(PR_3)_n(CO)_3(R'\text{-}pz)M]^{+/0}$; M = Mo, W; R'-pz = N-alkylpyrazinium; R = isopropyl, cyclohexyl; $n = 1$ or 2 (F. Hilgers, W. Bruns, J. Fiedler and W. Kaim), 273

Electron-deficient compounds

Electron-deficient organouranium chemistry: synthesis and reactivity of monocyclopentadienyldiphenylphosphidouranium trisborohydrides $[C_5R_4PPh_2U(BH_4)_3]$ (R = H or CH_3) and of their borane adducts (D. Baudry, A. Dormond, A. Hafid and C. Raillard), 37

Electron diffraction

The molecular structure of cyclopentadienyl vanadium tetracarbonyl determined by gas-phase electron diffraction (M.J. Almond, E.M. Page, D.A. Rice and K. Hagen), 303

Europium

Synthesis and characterization of Eu(II) and Sm(II) complexes containing the cyclopentadienylvanadiumnaphthalene anion. Molecular structure of $[(C_5H_5)V(C_{10}H_8)]_2Eu(THF)(DME)$ and $[(C_5H_5)V(C_{10}H_8)Eu(C_5H_5)(THF)]_n$ (I.L. Fedushkin, V.K. Nevodchikov, V.K. Cherkasov, M.N. Bochkarev, H. Schumann, F. Girgsdies, F.H. Görlitz, G. Kociok-Köhn and J. Pickardt), 157

Ferrocene

Reactions of σ-ferrocenylplatinum complexes with carbon monoxide and isocyanide (T. Yoshida, K. Onitsuka and K. Sonogashira), 47

Ferrocenyl phosphine

Asymmetric synthesis of a chiral tetradentate ligand based on a bis[diphenylphosphinoferrocenyl] moiety. Electrochemical behavior of free ligand and its Ru^{II} and Cu^{I} complexes (A. Masson-Szymczak, O. Riant, A. Gref and H.B. Kagan), 193

Ferrole complexes

Reactions of the 'ferrole' complex $[Fe_2(CO)_6(C_2Et_2)_2]$ with Group 15 donor ligands and with alkynes. Stepwise formation and disengagement of tropones. Crystal and molecular structure of $[Fe_2(CO)_5\{(CEt)_2CO(CEt)_2CHCPh\}]$ (R. Giordano, E. Sappa, D. Cauzzi, G. Predieri and A. Tiripicchio), 263

Fluoromethyl group

Siloxanes and silylamines with fluoromethyl-methylsilicon groups: X-ray study of $[CH_2F(CH_3)SiO]_4$ (H. Beckers, D.J. Brauer, H. Bürger, R. Gielen and P. Moritz), 293

Gallium

The mixed alkyl gallium or indium *N,N,N*-trimethylpropylenediaminedithiocarbamates. Crystal structure of diethyl(*N,N',N'*-trimethylpropylenediamine)dithiocarbamatoindium(III) (S.W. Haggata, M. Azad Malik, M. Motevalli and P. O'Brien), 199

Germanium

Auf dem Wege zu einem stabilen Germaethen $>Ge=C<$: Sterisch überladene Digermylsilylmethane $^tBu_2SiX\text{–}CY(GeMe_3)_2$ und Struktur der Germaethenquelle $^tBu_2SiF\text{–}CLi(GeMe_3)_2 \cdot 2THF$ (N. Wiberg, H.-S. Hwang-Park, P. Mikulcik und G. Müller), 239

Gold

Synthesis and characterization of neutral and cationic diamino carbene complexes of gold(I) (H.G. Raubenheimer, L. Lindeque and S. Cronje), 177

Group 4

Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $\{[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2O]TiCl_2\}_2$ and $[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_3O]\text{-}TiCl_2$ (G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben), 255

Heterodimetallics

Electron-deficient organouranium chemistry: synthesis and reactivity of monocyclopentadienyldiphenylphosphidouranium trisborohydrides $[C_5R_4PPh_2U(BH_4)_3]$ (R = H or CH_3) and of their borane adducts (D. Baudry, A. Dormond, A. Hafid and C. Raillard), 37

Hydride transfer

Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an η^3-cyclooctenyl complex (R. Fornika, E. Dinjus, H. Görls and W. Leitner), 145

Imidazolinylidene complexes

Synthesis and characterization of neutral and cationic diamino carbene complexes of gold(I) (H.G. Raubenheimer, L. Lindeque and S. Cronje), 177

Indium

Synthesis, mass spectrometry and NMR spectroscopy studies of the $(CH_3)_2In(C_2H_5)$ system: X-ray crystal structure of a diphosphine-bridged complex (P. Visonà, F. Benetollo, G. Rossetto, P. Zanella and P. Traldi), 59

The mixed alkyl gallium or indium *N,N,N*-trimethylpropylenediaminedithiocarbamates. Crystal structure of diethyl(*N,N',N'*-trimethylpropylenediamine)dithiocarbamatoindium(III) (S.W. Haggata, M. Azad Malik, M. Motevalli and P. O'Brien), 199

Intramolecular π-bonding

Complexes of lanthanoids with neutral π donor ligands (G.B. Deacon and Q. Shen), 1

Iron

1,3-Dipolar cycloaddition to the Fe–N=C fragment. XVI. Reactivity of Fe(alkyl-NC)$_5$(^{i}Pr-DAB) complexes towards aromatic isothiocyanates as dipolarophiles. Insertion of isothiocyanate into the Fe–N bond (N. Feiken, H.-W. Frühauf, K. Vrieze, N. Veldman and A.L. Spek), 281

Acid catalysed condensation reactions of 1,3-dihydroxybenzene with new redox-active metallocene aldehydes (P.D. Beer, M.G.B. Drew, D. Hesek and S.M. Lacy), 207

Reactions of σ-ferrocenylplatinum complexes with carbon monoxide and isocyanide (T. Yoshida, K. Onitsuka and K. Sonogashira), 47
Reactions of the 'ferrole' complex $[Fe_2(CO)_6(C_2Et_2)_2]$ with Group 15 donor ligands and with alkynes. Stepwise formation and disengagement of tropones. Crystal and molecular structure of $[Fe_2(CO)_5\{(CEt)_2CO(CEt)_2CHCPh\}]$ (R. Giordano, E. Sappa, D. Cauzzi, G. Predieri and A. Tiripicchio), 263

Isocyanide
1,3-Dipolar cycloaddition to the Fe–N=C fragment. XVI. Reactivity of Fe(alkyl-NC)$_3$(^{i}Pr-DAB) complexes towards aromatic isothiocyanates as dipolarophiles. Insertion of isothiocyanate into the Fe–N bond (N. Feiken, H.-W. Frühauf, K. Vrieze, N. Veldman and A.L. Spek), 281
Reactions of σ-ferrocenylplatinum complexes with carbon monoxide and isocyanide (T. Yoshida, K. Onitsuka and K. Sonogashira), 47

Isocyanide complexes
Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2CH_2PPh_2)_2][PF_6]$ (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 163

Isothiocyanates
1,3-Dipolar cycloaddition to the Fe–N=C fragment. XVI. Reactivity of Fe(alkyl-NC)$_3$(^{i}Pr-DAB) complexes towards aromatic isothiocyanates as dipolarophiles. Insertion of isothiocyanate into the Fe–N bond (N. Feiken, H.-W. Frühauf, K. Vrieze, N. Veldman and A.L. Spek), 281

Lanthanoid
Complexes of lanthanoids with neutral π donor ligands (G.B. Deacon and Q. Shen), 1

Lewis–base catalysed hydrogenation
Basekatalysierte Hydrierung von Methylchlortri- und -tetrasilanen mit Trialkylstannanen zu Methylchlorwasserstofftri- und -tetrasilanen (U. Herzog, E. Brendler und G. Roewer), 85

Lithium
Stoichiometry of protonation of aromatic hydrocarbon radical anions by weak proton donors. A marked discrepancy between the number of protons used and those incorporated into the aromatic structure (C.G. Screttas, G.I. Ioannou and M. Micha-Screttas), 217

Manganese
Organometallic selenolates. Part 2. A new synthesis of dimeric (selenolato)tetracarbonylmanganese(I) complexes. Crystal structures of $[Mn(CO)_4SeR]_2$; R = CH_2Ph, C(O)Ph and CO_2Me (W. Eikens, S. Jäger, P.G. Jones and C. Thöne), 67
Reactivity of the unsaturated manganese dihydrides $[Mn_2(\mu\text{-}H)_2(CO)_6(\mu\text{-}L_2)]$ (L_2 = $Ph_2PCH_2PPh_2$ or $(EtO)_2POP(OEt)_2$) towards small molecules (F.J. García Alonso, M. García Sanz, X.Y. Liu, A. Oliveira, M.A. Ruiz, V. Riera and C. Bois), 93
Stable paramagnetic bis(alkynyl) manganese complexes (V.V. Krivykh, I.L. Eremenko, D. Veghini, I.A. Petrunenko, D.L. Pountney, D. Unseld and H. Berke), 111
The reduction and oxidation of cationic carbonyl complexes of manganese with phosphoniodithioformate: X-ray crystal structure of $[Mn(CO)_4(S_2CPCy_3)]ClO_4$ (G.A. Carriedo, J.A. Pérez-Martínez, D. Miguel, V. Riera, S. García-Granda and E. Pérez-Carreño), 77

Metallocenes
Acid catalysed condensation reactions of 1,3-dihydroxybenzene with new redox-active metallocene aldehydes (P.D. Beer, M.G.B. Drew, D. Hesek and S.M. Lacy), 207

Metal–metal bonds
Symmetric and dissymmetric pyrazolyl-bridged rhodium dimers. Two X-ray dirhodium structures with short metal–metal interactions (C. López, J.A. Jiménez, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, E. Pinilla and A. Monge), 115

1-Methylbenzimidazole
Synthesis and characterization of neutral and cationic diamino carbene complexes of gold(I) (H.G. Raubenheimer, L. Lindeque and S. Cronje), 177

1-Methylimidazole
Synthesis and characterization of neutral and cationic diamino carbene complexes of gold(I) (H.G. Raubenheimer, L. Lindeque and S. Cronje), 177

Methylrhenium(V) oxo complexes
Multiple bonds between main group elements and transition metals, 154 methylrhenium(V) oxo complexes: derivatives of di(4-t-butylpyridine)dichloromethyloxorhenium(V) (W.A. Herrmann, M.U. Rauch and P.W. Roesky), 299

MO calculations
Theoretical investigations on Ziegler–Natta catalysis: models for the cocatalyst components (E. Puhakka, T.T. Pakkanen, T.A. Pakkanen and E. Iiskola), 19

Molecular orbital calculations
The reduction and oxidation of cationic carbonyl complexes of manganese with phosphoniodithioformate: X-ray crystal structure of $[Mn(CO)_4(S_2CPCy_3)]ClO_4$ (G.A. Carriedo, J.A. Pérez-Martínez, D. Miguel, V. Riera, S. García-Granda and E. Pérez-Carreño), 77

Molybdenum compounds
UV-vis, IR and EPR spectroelectrochemical study of the EC redox transition $[(PR_3)_4(CO)_3(R'\text{-}pz)M]^{+/0}$; M = Mo, W; R'-pz = N-alkylpyrazinium; R = isopropyl, cyclohexyl; n = 1 or 2 (F. Hilgers, W. Bruns, J. Fiedler and W. Kaim), 273

Mössbauer spectroscopy
Organotin(IV) derivatives of acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 227

Naphthalene complexes
Synthesis and characterization of Eu(II) and Sm(II) complexes containing the cyclopentadienylvanadiumnaphthalene anion. Molecular structure of $[(C_5H_5)V(C_{10}H_8)]_2Eu(THF)(DME)$ and $[(C_5H_5)V(C_{10}H_8)Eu(C_5H_5)(THF)]_n$ (I.L. Fedushkin, V.K. Nevodchikov, V.K. Cherkasov, M.N. Bochkarev, H. Schumann, F. Girgsdies, F.H. Görlitz, G. Kociok-Köhn and J. Pickardt), 157

Neutral π donors
Complexes of lanthanoids with neutral π donor ligands (G.B. Deacon and Q. Shen), 1

NMR
Evidences for intramolecular N → P coordination in (8-dimethylamino-1-naphthyl)diphenylphosphane and derivatives (C. Chuit, R.J.P. Corriu, P. Monforte, C. Reyé, J.-P. Declercq and A. Dubourg), 171

N–P coordination
Evidences for intramolecular N → P coordination in (8-dimethylamino-1-naphthyl)diphenylphosphane and derivatives (C. Chuit, R.J.P. Corriu, P. Monforte, C. Reyé, J.-P. Declercq and A. Dubourg), 171

Palladium
Dinuclear cyclometallated complexes of Pd^{II} with diphosphines. X-ray crystal structure of $[1,4\text{-}\{Pd[2,4\text{-}(MeO)_2C_6H_2C(H{=}N)]\}_2\text{-}C_6H_4(Ph_2P(CH_2)_3PPh_2\text{-}P,P)_2][PF_6]_2$ (J.M. Vila, M. Gayoso, M. López Torres, J.J. Fernández, A. Fernández, J.M. Ortigueira, N.A. Bailey and H. Adams), 129
Palladium(0)-catalyzed phenoxycarbonylation of allylic carbonates (C. Goux, P. Lhoste, D. Sinou and A. Masdeu), 139

Phenoxycarbonylation
Palladium(0)-catalyzed phenoxycarbonylation of allylic carbonates (C. Goux, P. Lhoste, D. Sinou and A. Masdeu), 139

Phosphine complexes
Reactions of the 'ferrole' complex $[Fe_2(CO)_6(C_2Et_2)_2]$ with Group 15 donor ligands and with alkynes. Stepwise formation and disengagement of tropones. Crystal and molecular structure of $[Fe_2(CO)_5\{(CEt)_2CO(CEt)_2CHCPh\}]$ (R. Giordano, E. Sappa, D. Cauzzi, G. Predieri and A. Tiripicchio), 263
Synthesis, mass spectrometry and NMR spectroscopy studies of the $(CH_3)_2In(C_2H_5)$ system: X-ray crystal structure of a diphosphine-bridged complex (P. Visonà, F. Benetollo, G. Rossetto, P. Zanella and P. Traldi), 59
Phosphine ligands
Reactivity of a cationic triruthenium hydridoalkenylcarbonyl cluster complex toward nucleophilic reagents. Carbonyl substitution versus alkene elimination reactions (J.A. Cabeza, I. Del Río, A. Llamazares and V. Riera), 103
Phosphinocyclopentadienyl complexes
Synthesis of bis(diphenylphosphinocyclopentadienyl)yttrium chloride complexes and heterodimetallic derivatives. X-ray structure of bis[(μ-chloro)bis(diphenylphosphinocyclopentadienyl)yttrium-(III)] (R. Broussier, G. Delmas, P. Perron, B. Gautheron and J.L. Petersen), 185
Phosphoniodithioformate complexes
The reduction and oxidation of cationic carbonyl complexes of manganese with phosphoniodithioformate: X-ray crystal structure of $[Mn(CO)_4(S_2CPCy_3)]ClO_4$ (G.A. Carriedo, J.A. Pérez-Martínez, D. Miguel, V. Riera, S. García-Granda and E. Pérez-Carreño), 77
Platinum
Reactions of σ-ferrocenylplatinum complexes with carbon monoxide and isocyanide (T. Yoshida, K. Onitsuka and K. Sonogashira), 47
Potassium
Stoichiometry of protonation of aromatic hydrocarbon radical anions by weak proton donors. A marked discrepancy between the number of protons used and those incorporated into the aromatic structure (C.G. Screttas, G.I. Ioannou and M. Micha-Screttas), 217
Preparations
Synthesis, mass spectrometry and NMR spectroscopy studies of the $(CH_3)_2In(C_2H_5)$ system: X-ray crystal structure of a diphosphine-bridged complex (P. Visonà, F. Benetollo, G. Rossetto, P. Zanella and P. Traldi), 59
Pyrazolate complexes
Symmetric and dissymmetric pyrazolyl-bridged rhodium dimers. Two X-ray dirhodium structures with short metal–metal interactions (C. López, J.A. Jiménez, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, E. Pinilla and A. Monge), 115
Pyrazolone
Organotin(IV) derivatives of acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 227

Radical ligands
UV-vis, IR and EPR spectroelectrochemical study of the EC redox transition $[(PR_3)_4(CO)_3(R'\text{-}pz)M]^{+/0}$; M = Mo, W; R'-pz = N-alkylpyrazinium; R = isopropyl, cyclohexyl; n = 1 or 2 (F. Hilgers, W. Bruns, J. Fiedler and W. Kaim), 273
Reaction mechanisms
Reactions of the 'ferrole' complex $[Fe_2(CO)_6(C_2Et_2)_2]$ with Group 15 donor ligands and with alkynes. Stepwise formation and disengagement of tropones. Crystal and molecular structure of $[Fe_2(CO)_5\{(CEt)_2CO(CEt)_2CHCPh\}]$ (R. Giordano, E. Sappa, D. Cauzzi, G. Predieri and A. Tiripicchio), 263
Reactions with alkynes
Reactions of the 'ferrole' complex $[Fe_2(CO)_6(C_2Et_2)_2]$ with Group 15 donor ligands and with alkynes. Stepwise formation and disengagement of tropones. Crystal and molecular structure of $[Fe_2(CO)_5\{(CEt)_2CO(CEt)_2CHCPh\}]$ (R. Giordano, E. Sappa, D. Cauzzi, G. Predieri and A. Tiripicchio), 263
Reactivity
Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2CH_2PPh_2)_2][PF_6]$ (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 163
Rhenium
Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2CH_2PPh_2)_2][PF_6]$ (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 163
Multiple bonds between main group elements and transition metals, 154 methylrhenium(V) oxo complexes: derivatives of di(4-t-butylpyridine)dichloromethyloxorhenium(V) (W.A. Herrmann, M.U. Rauch and P.W. Roesky), 299
Rhodium
Symmetric and dissymmetric pyrazolyl-bridged rhodium dimers. Two X-ray dirhodium structures with short metal–metal interactions (C. López, J.A. Jiménez, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, E. Pinilla and A. Monge), 115
Rhodium formate complexes
Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an η^3-cyclooctenyl complex (R. Fornika, E. Dinjus, H. Görls and W. Leitner), 145
Ruthenium
Asymmetric synthesis of a chiral tetradentate ligand based on a bis[diphenylphosphinoferrocenyl] moiety. Electrochemical behavior of free ligand and its Ru^{II} and Cu^{I} complexes (A. Masson-Szymczak, O. Riant, A. Gref and H.B. Kagan), 193
Reactivity of a cationic triruthenium hydridoalkenylcarbonyl cluster complex toward nucleophilic reagents. Carbonyl substitution versus alkene elimination reactions (J.A. Cabeza, I. Del Río, A. Llamazares and V. Riera), 103

Samarium
Synthesis and characterization of Eu(II) and Sm(II) complexes containing the cyclopentadienylvanadiumnaphthalene anion. Molecular structure of $[(C_5H_5)V(C_{10}H_8)]_2Eu(THF)(DME)$ and $[(C_5H_5)V(C_{10}H_8)Eu(C_5H_5)(THF)]_n$ (I.L. Fedushkin, V.K. Nevodchikov, V.K. Cherkasov, M.N. Bochkarev, H. Schumann, F. Girgsdies, F.H. Görlitz, G. Kociok-Köhn and J. Pickardt), 157
Schiff base
Dinuclear cyclometallated complexes of Pd^{II} with diphosphines. X-ray crystal structure of $[1,4\text{-}\{Pd[2,4\text{-}(MeO)_2C_6H_2C(H)=N]\}_2\text{-}C_6H_4\{Ph_2P(CH_2)_3PPh_2\text{-}P,P\}_2][PF_6]_2$ (J.M. Vila, M. Gayoso, M. López Torres, J.J. Fernández, A. Fernández, J.M. Ortigueira, N.A. Bailey and H. Adams), 129
Schiff base ligands
Multiple bonds between main group elements and transition metals, 154 methylrhenium(V) oxo complexes: derivatives of di(4-t-butylpyridine)dichloromethyloxorhenium(V) (W.A. Herrmann, M.U. Rauch and P.W. Roesky), 299
Selenolates
Organometallic selenolates. Part 2. A new synthesis of dimeric (selenolato)tetracarbonylmanganese(I) complexes. Crystal structures of $[Mn(CO)_4SeR]_2$; R = CH_2Ph, C(O)Ph and CO_2Me (W. Eikens, S. Jäger, P.G. Jones and C. Thöne), 67
Silicon
Auf dem Wege zu einem stabilen Germaethen $>Ge=C<$: Sterisch überladene Digermylsilylmethane $^tBu_2SiX\text{–}CY(GeMe_3)_2$ und Struktur der Germaethenquelle $^tBu_2SiF\text{–}CLi(GeMe_3)_2 \cdot 2THF$ (N. Wiberg, H.-S. Hwang-Park, P. Mikulcik und G. Müller), 239

Basekatalysierte Hydrierung von Methylchlortri- und -tetrasilanen mit Trialkylstannanen zu Methylchlorwasserstofftri- und -tetrasilanen (U. Herzog, E. Brendler und G. Roewer), 85

Siloxanes and silylamines with fluoromethyl-methylsilicon groups: X-ray study of $[CH_2F(CH_3)SiO]_4$ (H. Beckers, D.J. Brauer, H. Bürger, R. Gielen and P. Moritz), 293

Theoretical investigations on Ziegler–Natta catalysis: models for the cocatalyst components (E. Puhakka, T.T. Pakkanen, T.A. Pakkanen and E. Iiskola), 19

Siloxanes

Siloxanes and silylamines with fluoromethyl-methylsilicon groups: X-ray study of $[CH_2F(CH_3)SiO]_4$ (H. Beckers, D.J. Brauer, H. Bürger, R. Gielen and P. Moritz), 293

Silylamides

Siloxanes and silylamines with fluoromethyl-methylsilicon groups: X-ray study of $[CH_2F(CH_3)SiO]_4$ (H. Beckers, D.J. Brauer, H. Bürger, R. Gielen and P. Moritz), 293

Single crystal structure

Strukturen ladungsgestörter Moleküle. 79. Dimeres Anthracenylmagnesiumbromid-Dibutylether (H. Bock, K. Ziemer und C. Näther), 29

Sodium

Stoichiometry of protonation of aromatic hydrocarbon radical anions by weak proton donors. A marked discrepancy between the number of protons used and those incorporated into the aromatic structure (C.G. Screttas, G.I. Ioannou and M. Micha-Screttas), 217

Spectroelectrochemistry

UV-vis, IR and EPR spectroelectrochemical study of the EC redox transition $[(PR_3)_n(CO)_3(R'\text{-}pz)M]^{+/0}$; M = Mo, W; R'-pz = N-alkylpyrazinium; R = isopropyl, cyclohexyl; $n = 1$ or 2 (F. Hilgers, W. Bruns, J. Fiedler and W. Kaim), 273

Spectroscopy

UV-vis, IR and EPR spectroelectrochemical study of the EC redox transition $[(PR_3)_n(CO)_3(R'\text{-}pz)M]^{+/0}$; M = Mo, W; R'-pz = N-alkylpyrazinium; R = isopropyl, cyclohexyl; $n = 1$ or 2 (F. Hilgers, W. Bruns, J. Fiedler and W. Kaim), 273

Stannane

Basekatalysierte Hydrierung von Methylchlortri- und -tetrasilanen mit Trialkylstannanen zu Methylchlorwasserstofftri- und -tetrasilanen (U. Herzog, E. Brendler und G. Roewer), 85

Synthesis

Auf dem Wege zu einem stabilen Germaethen $>Ge=C<$: Sterisch überladene Digermylsilylmethane $^tBu_2SiX\text{–}CY(GeMe_3)_2$ und Struktur der Germaethenquelle $^tBu_2SiF\text{–}CLi(GeMe_3)_2 \cdot 2THF$ (N. Wiberg, H.-S. Hwang-Park, P. Mikulcik und G. Müller), 239

Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $\{[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2O]TiCl_2\}_2$ and $[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_3O]\text{-}TiCl_2$ (G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben), 255

Tetradentate ligand

Asymmetric synthesis of a chiral tetradentate ligand based on a bis[diphenylphosphinoferrocenyl] moiety. Electrochemical behavior of free ligand and its Ru^{II} and Cu^{I} complexes (A. Masson-Szymczak, O. Riant, A. Gref and H.B. Kagan), 193

Tetrasilanes

Basekatalysierte Hydrierung von Methylchlortri- und -tetrasilanen mit Trialkylstannanen zu Methylchlorwasserstofftri- und -tetrasilanen (U. Herzog, E. Brendler und G. Roewer), 85

Thiocarbonate

The mixed alkyl gallium or indium *N,N,N*-trimethylpropylenediaminedithiocarbamates. Crystal structure of diethyl(*N,N',N'*-trimethylpropylenediamine)dithiocarbamatoindium(III) (S.W. Haggata, M. Azad Malik, M. Motevalli and P. O'Brien), 199

Tin

Organotin(IV) derivatives of acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 227

Titanium

Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $\{[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2O]TiCl_2\}_2$ and $[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_3O]\text{-}TiCl_2$ (G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben), 255

Trisilanes

Basekatalysierte Hydrierung von Methylchlortri- und -tetrasilanen mit Trialkylstannanen zu Methylchlorwasserstofftri- und -tetrasilanen (U. Herzog, E. Brendler und G. Roewer), 85

Tungsten compounds

UV-vis, IR and EPR spectroelectrochemical study of the EC redox transition $[(PR_3)_n(CO)_3(R'\text{-}pz)M]^{+/0}$; M = Mo, W; R'-pz = N-alkylpyrazinium; R = isopropyl, cyclohexyl; $n = 1$ or 2 (F. Hilgers, W. Bruns, J. Fiedler and W. Kaim), 273

Uranium

Electron-deficient organouranium chemistry: synthesis and reactivity of monocyclopentadienyldiphenylphosphidouranium trisborohydrides $[C_5R_4PPh_2U(BH_4)_3]$ (R = H or CH_3) and of their borane adducts (D. Baudry, A. Dormond, A. Hafid and C. Raillard), 37

Vanadium

Synthesis and characterization of Eu(II) and Sm(II) complexes containing the cyclopentadienylvanadiumnaphthalene anion. Molecular structure of $[(C_5H_5)V(C_{10}H_8)]_2Eu(THF)(DME)$ and $[(C_5H_5)V(C_{10}H_8)Eu(C_5H_5)(THF)]_n$ (I.L. Fedushkin, V.K. Nevodchikov, V.K. Cherkasov, M.N. Bochkarev, H. Schumann, F. Girgsdies, F.H. Görlitz, G. Kociok-Köhn and J. Pickardt), 157

The molecular structure of cyclopentadienyl vanadium tetracarbonyl determined by gas-phase electron diffraction (M.J. Almond, E.M. Page, D.A. Rice and K. Hagen), 303

X-ray crystal structure

The reduction and oxidation of cationic carbonyl complexes of manganese with phosphoniodithioformate: X-ray crystal structure of $[Mn(CO)_4(S_2CPCy_3)]ClO_4$ (G.A. Carriedo, J.A. Pérez-Martínez, D. Miguel, V. Riera, S. García-Granda and E. Pérez-Carreño), 77

X-ray diffraction

Organotin(IV) derivatives of acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 227

Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $\{[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2O]TiCl_2\}_2$ and $[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_3O]\text{-}TiCl_2$ (G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben), 255

X-ray structure

Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2\text{-}PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2\text{-}CH_2PPh_2)_2][PF_6]$ (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 163

Dinuclear cyclometallated complexes of Pd^{II} with diphosphines. X-ray crystal structure of $[1,4\text{-}\{Pd[2,4\text{-}(MeO)_2C_6H_2C(H)=N]\}_2\text{-}C_6H_4\{Ph_2P(CH_2)_3PPh_2\text{-}P,P\}_2][PF_6]_2$ (J.M. Vila, M. Gayoso, M. López Torres, J.J. Fernández, A. Fernández, J.M. Ortigueira, N.A. Bailey and H. Adams), 129

Evidences for intramolecular $N \rightarrow P$ coordination in (8-dimethylamino-1-naphthyl)diphenylphosphane and derivatives (C. Chuit, R.J.P. Corriu, P. Monforte, C. Reyé, J.-P. Declercq and A. Dubourg), 171

Organometallic selenolates. Part 2. A new synthesis of dimeric (selenolato)tetracarbonylmanganese(I) complexes. Crystal struc-

tures of $[Mn(CO)_4SeR]_2$; R = CH_2Ph, C(O)Ph and CO_2Me (W. Eikens, S. Jäger, P.G. Jones and C. Thöne), 67

Reactions of the 'ferrole' complex $[Fe_2(CO)_6(C_2Et_2)_2]$ with Group 15 donor ligands and with alkynes. Stepwise formation and disengagement of tropones. Crystal and molecular structure of $[Fe_2(CO)_5\{(CEt)_2CO(CEt)_2CHCPh\}]$ (R. Giordano, E. Sappa, D. Cauzzi, G. Predieri and A. Tiripicchio), 263

Reactivity of the unsaturated manganese dihydrides $[Mn_2(\mu\text{-}H)_2(CO)_6(\mu\text{-}L_2)]$ (L_2 = $Ph_2PCH_2PPh_2$ or $(EtO)_2POP(OEt)_2$) towards small molecules (F.J. García Alonso, M. García Sanz, X.Y. Liu, A. Oliveira, M.A. Ruiz, V. Riera and C. Bois), 93

Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an η^3-cyclooctenyl complex (R. Fornika, E. Dinjus, H. Görls and W. Leitner), 145

Symmetric and dissymmetric pyrazolyl-bridged rhodium dimers. Two X-ray dirhodium structures with short metal–metal interactions (C. López, J.A. Jiménez, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, E. Pinilla and A. Monge), 115

Synthesis and characterization of Eu(II) and Sm(II) complexes containing the cyclopentadienylvanadiumnaphthalene anion. Molecular structure of $[(C_5H_5)V(C_{10}H_8)]_2Eu(THF)(DME)$ and $[(C_5H_5)V(C_{10}H_8)Eu(C_5H_5)(THF)]_n$ (I.L. Fedushkin, V.K. Nevodchikov, V.K. Cherkasov, M.N. Bochkarev, H. Schumann, F. Girgsdies, F.H. Görlitz, G. Kociok-Köhn and J. Pickardt), 157

Synthesis, mass spectrometry and NMR spectroscopy studies of the $(CH_3)_2In(C_2H_5)$ system: X-ray crystal structure of a diphosphine-bridged complex (P. Visonà, F. Benetollo, G. Rossetto, P. Zanella and P. Traldi), 59

Synthesis of bis(diphenylphosphinocyclopentadienyl)yttrium chloride complexes and heterodimetallic derivatives. X-ray structure of bis[(μ-chloro)bis(diphenylphosphinocyclopentadienyl)yttrium-(III)] (R. Broussier, G. Delmas, P. Perron, B. Gautheron and J.L. Petersen), 185

X-ray structure, EPR spectroscopy

Stable paramagnetic bis(alkynyl) manganese complexes (V.V. Krivykh, I.L. Eremenko, D. Veghini, I.A. Petrunenko, D.L. Pountney, D. Unseld and H. Berke), 111

Yttrium

Synthesis of bis(diphenylphosphinocyclopentadienyl)yttrium chloride complexes and heterodimetallic derivatives. X-ray structure of bis[(μ-chloro)bis(diphenylphosphinocyclopentadienyl)yttrium-(III)] (R. Broussier, G. Delmas, P. Perron, B. Gautheron and J.L. Petersen), 185

Ziegler–Natta catalysis

Theoretical investigations on Ziegler–Natta catalysis: models for the cocatalyst components (E. Puhakka, T.T. Pakkanen, T.A. Pakkanen and E. Iiskola), 19